

## DAC 100G QSFP28 4xSFP28 QSFP+ 1M Direct Attach Cable

Place of Origin: Guangdong, China

Brand Name: OPTICO

Model Number: OP-DAC-QSFP28-100G-1M

Data transfer rate: 100Gbps

Distance: 1M

Certification: ISO, CE, RoHS;

Warranty: 3 years

Temp: 0~70°C

Supply Ability: 50000 Piece/Pieces per Day



The 100G QSFP28 to 4x 25G SFP28 Passive cable assemblies are high performance, cost effective for SFP28 and QSFP28 equipment interconnects. The Hybrid cables are compliant with SFF-8402 and SFF-8665 specifications. It offers a low power consumption, short reach interconnect applications.

The cable each lane is capable of transmitting data at rates up to 25Gb/s, providing an aggregated rate of 100Gb/s.

**Features:**

- QSFP28 conforms to the Small Form Factor SFF-8665
- 4-Channel Full-Duplex Passive Copper Cable Transceiver
- Support for multi-gigabit data rates :25.78Gb/s (per channel)
- Maximum aggregate data rate: 100Gb/s (4 x 25.78Gb/s)
- Copper link length up to 3m (passive limiting)
- High-Density QSFP 38-PIN Connector
- Power Supply :+3.3V
- Low power consumption: 0.02 W (typ.)
- I2C based two-wire serial interface for EEPROM signature which can be customized
- Temperature Range: 0~ 70 °C
- ROHS Compliant

**Applications:**

- 100 Gigabit Ethernet
- Fiber Channel over Ethernet
- Data storage and communication industry
- Switch/router/HBA
- Enterprise network
- SAN
- Data Center Network

**Certifications:**



**CE**



**CPR**



**ISO**



**RoHS**

**Factory Workshop:**

# Shenzhen Optico Communication Co.,Ltd





Keywords: 100G DAC, 4 x QSFP28, Direct Attach Cable